



Nacionalni centar
za vanjsko vrednovanje
obrazovanja

Identifikacijska
naljepnica

PAŽLJIVO NALIJEPITI

FIZ

FIZIKA

Knjižica formula

FIZ T D

FIZ.43.HR.R.T1.08



40263



12

Fizika

POPIS FORMULA I KONSTANTI

Kinematika

$$\bar{v} = \frac{\Delta s}{\Delta t}$$

$$\bar{a} = \frac{\Delta v}{\Delta t}$$

$$s = v_0 t + a \frac{t^2}{2}$$

$$v = v_0 + at$$

$$v^2 = v_0^2 + 2as$$

$$a_{\text{cp}} = \frac{v^2}{r}$$

$$f = \frac{1}{T}$$

Dinamika

$$F = ma$$

$$F_{\text{tr}} = \mu F_p$$

$$F_{\text{elas}} = -kx$$

$$p = mv$$

$$F \Delta t = \Delta p$$

$$W = \Delta E$$

$$W = Fs \cos\alpha$$

$$E_k = \frac{mv^2}{2}$$

$$\Delta E_{\text{gp}} = mg\Delta h$$

$$E_{\text{cp}} = k \frac{x^2}{2}$$

$$P = \frac{W}{t}$$

$$F_G = G \frac{m_1 m_2}{r^2}$$

Hidromehanika

$$p = \frac{F}{S}$$

$$p = \rho gh$$

$$F_u = \rho g V$$

$$S_1 v_1 = S_2 v_2$$

$$p_1 + \frac{\rho v_1^2}{2} = p_2 + \frac{\rho v_2^2}{2}$$

$$\rho = \frac{m}{V}$$



Fizika

Termodinamika

$$n = \frac{N}{N_A} = \frac{m}{M}$$

$$\overline{E_k} = \frac{3}{2} k_B T$$

$$U = \frac{3}{2} N k_B T$$

$$pV = nRT$$

$$l = l_0(1 + \alpha \Delta t)$$

$$Q = mc\Delta t$$

$$Q_t = m\lambda$$

$$Q_i = mr$$

$$Q = W + \Delta U$$

$$W = p\Delta V$$

$$\eta = 1 - \frac{T_2}{T_1}$$

Elektricitet i magnetizam

$$F = \frac{k}{\epsilon_r} \frac{q_1 q_2}{r^2}$$

$$k = \frac{1}{4\pi\epsilon_0}$$

$$F = qE$$

$$E = \frac{k}{\epsilon_r} \frac{q}{r^2}$$

$$W = qU$$

$$U = Ed$$

$$\varphi = \frac{k}{\epsilon_r} \frac{q}{r}$$

$$C = \frac{q}{U}$$

$$C = \epsilon_0 \epsilon_r \frac{S}{d}$$

$$W = \frac{CU^2}{2}$$

$$I = \frac{\Delta q}{\Delta t}$$

$$I = \frac{U}{R}$$

$$R = \rho \frac{l}{S}$$

$$I = \frac{E}{R_u + R_v}$$

$$P = UI$$

$$B = \mu_0 \mu_r \frac{I}{2r\pi}$$

$$B = \mu_0 \mu_r \frac{NI}{l}$$

$$F = BIl \sin \alpha$$

$$F_L = qvB \sin \alpha$$

$$\Phi = BS \cos \alpha$$

$$U_i = -N \frac{\Delta \Phi}{\Delta t}$$

$$U_i = -Blv \sin \alpha$$

$$I = \frac{U}{Z}$$

$$R_L = L\omega$$

$$R_C = \frac{1}{C\omega}$$

$$Z = \sqrt{R^2 + (R_L - R_C)^2}$$

FIZ T D



99

Fizika

Titranje i valovi

$$T = 2\pi\sqrt{\frac{m}{k}}$$

$$T = 2\pi\sqrt{\frac{l}{g}}$$

$$T = 2\pi\sqrt{LC}$$

$$\omega = \frac{2\pi}{T}$$

$$x = A \sin(\omega t + \varphi_0)$$

$$v = v_0 \cos(\omega t + \varphi_0)$$

$$v_0 = \frac{2\pi A}{T}$$

$$v = \frac{\lambda}{T}$$

$$a = -a_0 \sin(\omega t + \varphi_0)$$

$$a_0 = \frac{4\pi^2 A}{T^2}$$

$$y = A \sin\left(\omega t - \frac{2\pi x}{\lambda}\right)$$

$$L = 10 \log \frac{I}{I_0}$$

$$f_p = f_i \frac{v + v_p}{v - v_i}$$

$$I = \frac{P}{S}$$

Optika

$$n = \frac{c}{v}$$

$$\frac{\sin \alpha}{\sin \beta} = \frac{n_2}{n_1}$$

$$\frac{1}{a} + \frac{1}{b} = \frac{1}{f}$$

$$\frac{y'}{y} = -\frac{b}{a}$$

$$f = \frac{R}{2}$$

$$j = \frac{1}{f}$$

$$\lambda = \frac{sd}{a}$$

$$d \sin \alpha_k = k\lambda$$

$$\operatorname{tg} \alpha_B = n$$

Moderna fizika

$$L = L_0 \sqrt{1 - \frac{v^2}{c^2}}$$

$$T = \frac{T_0}{\sqrt{1 - \frac{v^2}{c^2}}}$$

$$E = \frac{mc^2}{\sqrt{1 - \left(\frac{v}{c}\right)^2}}$$

$$P = \sigma S T^4$$

$$\lambda_{\max} T = b = \text{konst}$$

$$E_f = hf$$

$$E_k = E_f - W_i$$


$$\lambda = \frac{h}{p}$$

$$E_f = E_n - E_m = -13,6 \text{ eV} \left(\frac{1}{n^2} - \frac{1}{m^2} \right); \quad n > m \quad E = \Delta mc^2 \quad N = N_0 2^{-\frac{t}{T}} = N_0 e^{-\lambda t}$$

$$\lambda = \frac{\ln 2}{T}$$

$$A = \lambda N$$

FIZ T D



99

Fizika

Konstante

gravitacijska konstanta	$G = 6,67 \cdot 10^{-11} \text{ N kg}^{-2} \text{ m}^2$
ubrzanje slobodnoga pada pri površini Zemlje	$g = 9,81 \text{ m s}^{-2}$ (u zadatcima uzeti 10 m s^{-2})
masa Zemlje	$M = 6 \cdot 10^{24} \text{ kg}$
polumjer Zemlje	$R = 6370 \text{ km}$
normirani atmosferski tlak	$p_a = 101325 \text{ Pa}$
unificirana atomska masa	$u = 1,66 \cdot 10^{-27} \text{ kg}$
Avogadrova konstanta	$N_A = 6,022 \cdot 10^{23} \text{ mol}^{-1}$
opća plinska konstanta	$R = 8,314 \text{ J K}^{-1} \text{ mol}^{-1}$
brzina svjetlosti u vakuumu	$c = 3 \cdot 10^8 \text{ m s}^{-1}$
elementarni naboј	$e = 1,6 \cdot 10^{-19} \text{ C}$
masa elektrona	$m_e = 9,11 \cdot 10^{-31} \text{ kg}$
masa protona	$m_p = 1,67 \cdot 10^{-27} \text{ kg}$
Coulombova konstanta	$k = 9 \cdot 10^9 \text{ Nm}^2 \text{C}^{-2}$
permitivnost vakuuma	$\epsilon_0 = 8,85 \cdot 10^{-12} \text{ F m}^{-1}$
permeabilnost vakuuma	$\mu_0 = 4\pi \cdot 10^{-7} \text{ N A}^{-2}$
prag čujnosti	$I_0 = 10^{-12} \text{ Wm}^{-2}$
Boltzmannova konstanta	$k_B = 1,38 \cdot 10^{-23} \text{ J K}^{-1}$
Planckova konstanta	$h = 6,626 \cdot 10^{-34} \text{ J s}$
Stefan-Boltzmannova konstanta	$\sigma = 5,67 \cdot 10^{-8} \text{ W m}^{-2} \text{ K}^{-4}$
Wienova konstanta	$b = 2,89 \cdot 10^{-3} \text{ K m}$



Periodni sustav elemenata IUPAC

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
H 1,01																	
Li 6,94		Be 9,01															
Na 23,0		Mg 24,3															
K 39,1	Ca 40,1	Sc 45,0	Ti 47,9	V 50,9	Cr 52,0	Mn 54,9	Fe 55,8	Co 58,9	Ni 58,7	Cu 63,5	Zn 65,4	Ga 69,7	Ge 72,6	As 74,9	Se 79,0	Br 79,9	Kr 83,8
Rb 85,5	Sr 87,6	Y 88,9	Zr 91,2	Mo 95,9	Tc [98]	Ru 101	Rh 103	Pd 106	Ag 108	Cd 112	In 115	Sn 119	Sb 122	Te 128	I 127	Xe 131	
Cs 133	Ba 137	La 57-71 lantanoidi	Ta 72	W 73	Re 74	Os 184	Ir 186	Pt 192	Au 195	Hg 197	Tl 201	Pb 207	Bi 209	Po [209]	At [210]	Rn [222]	
Fr [223]	Ra [226]																


La 139	Ce 140	Pr 141	Nd 144	Pm [145]	Sm 150	Eu 152	Gd 157	Tb 159	Dy 163	Ho 165	Tm 167	Er 169	Yb 173	Lu 175		
Ac [227]	Th 232	Pa 231	U 238	Np [237]	Pu [244]	Am [243]	Cm [247]	Bk [247]	Cf [251]	Es [252]	Md [257]	Fm [257]	No [259]	Lr [262]		



Fizika

Prazna Stranica

FIZ T D




99

Fizika

Prazna Stranica

FIZ T D



99