



Nacionalni centar
za vanjsko vrednovanje
obrazovanja

Identifikacijska
naljepnica

PAŽLJIVO NALIJEPITI

KEMIJA

PROBNI ISPIT DRŽAVNE MATURE

šk. god. 2022./2023.

Periodni sustav elemenata
Temeljne prirodne konstante
Standardni reduksijski elektrodni potencijali

KEM.49.HR.T.T1.08



50224

Periodni sustav elemenata IUPAC

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
H	1,01																	
Li 6,94		Be 9,01																
Na 23,0		Mg 24,3																
K 39,1	Ca 40,1	Sc 45,0	Ti 47,9	V 50,9	Cr 52,0	Mn 54,9	Fe 55,8	Co 58,9	Ni 58,7	Cu 63,5	Zn 65,4	Ga 69,7	Ge 72,6	As 74,9	Se 79,0	Br 79,9	Kr 83,8	
Rb 85,5	Sr 87,6	Y 88,9	Zr 91,2	Nb 92,9	Mo 95,9	Tc [98]	Ru 101	Rh 103	Pd 106	Ag 108	Cd 112	In 115	Sn 119	Te 122	I 128	Xe 131		
Cs 133	Ba 137	Hf lantanoidi 178	Ta 181	W 184	Re 186	Os 190	Ir 192	Pt 195	Au 197	Hg 201	Tl 204	Pb 207	Bi 209	Po 209	At [210]	Rn [222]		
Fr [223]	Ra [226]	89-103 aktinoidi [261]	Rf [262]	Dy [264]	Sg [266]	Bh [277]	Hs [268]	Mt [268]	Ds [269]	Rg [272]	Cn [285]							
La 139	58 Ce 140	59 Pr 141	60 Nd 144	61 Pm [145]	62 Sm 150	63 Eu 152	64 Gd 157	65 Tb 159	66 Dy 163	67 Ho 165	68 Er 167	69 Tm 169	70 Yb 173	71 Lu 175				
Ac [227]	90 Th 232	91 Pa 231	92 U 238	93 Np [237]	94 Pu [244]	95 Am [243]	96 Cm [247]	97 Bk [247]	98 Cf [247]	99 Es [251]	100 Fm [257]	101 Md [258]	102 No [259]	103 Lr [262]				

TEMELJNE PRIRODNE KONSTANTE

Veličina	Znak	Vrijednost
brzina svjetlosti u vakuumu	c_0	$3,00 \times 10^8 \text{ m s}^{-1}$
Planckova konstanta	h	$6,63 \times 10^{-34} \text{ J s}$
elementarni naboј	e	$1,60 \times 10^{-19} \text{ C}$
masa mirovanja elektrona	m_e	$9,11 \times 10^{-31} \text{ kg}$
masa mirovanja protona	m_p	$1,67 \times 10^{-27} \text{ kg}$
masa mirovanja neutrona	m_n	$1,67 \times 10^{-27} \text{ kg}$
atomska masena konstanta, unificirana atomska jedinica mase, dalton	$m_u = 1 \text{ u} = 1 \text{ Da}$	$1,66 \times 10^{-27} \text{ kg}$
Avogadrova konstanta	L, N_A	$6,02 \times 10^{23} \text{ mol}^{-1}$
Boltzmannova konstanta	k	$1,38 \times 10^{-23} \text{ J K}^{-1}$
Faradayeva konstanta	F	$9,65 \times 10^4 \text{ C mol}^{-1}$
molarna plinska konstanta	R	$8,31 \text{ J K}^{-1} \text{ mol}^{-1}$
nula Celzijeve temperature		273 K
molarni volumen idealnoga plina ($p = 101 \text{ kPa}, t = 0^\circ\text{C}$)	V_m	22,4 L mol ⁻¹

STANDARDNI REDUKCIJSKI ELEKTRODNI POTENCIJALI ODABRANIH REDOKS-SUSTAVA U VODENIM OTOPINAMA PRI 25 °C

Shematski prikaz	E° / V
$\text{Au}^+ \text{Au}$	1,692
$\text{Cl}^- \text{Cl}_2$	1,358
$\text{Br}^- \text{Br}_2$	1,087
$\text{Hg}^{2+} \text{Hg}$	0,851
$\text{Ag}^+ \text{Ag}$	0,800
$\text{I}^- \text{I}_2$	0,535
$\text{Cu}^+ \text{Cu}$	0,521
$\text{OH}^- \text{O}_2$	0,401
$\text{Cu}^{2+} \text{Cu}$	0,342
$\text{H}^+ \text{H}_2$	0
$\text{Fe}^{3+} \text{Fe}$	-0,037
$\text{Pb}^{2+} \text{Pb}$	-0,126
$\text{Sn}^{2+} \text{Sn}$	-0,137
$\text{Ni}^{2+} \text{Ni}$	-0,257
$\text{Co}^{2+} \text{Co}$	-0,28
$\text{Cd}^{2+} \text{Cd}$	-0,352
$\text{Fe}^{2+} \text{Fe}$	-0,447
$\text{Cr}^{3+} \text{Cr}$	-0,744
$\text{Zn}^{2+} \text{Zn}$	-0,762
$\text{Cr}^{2+} \text{Cr}$	-0,913
$\text{Mn}^{2+} \text{Mn}$	-1,185
$\text{Ti}^{2+} \text{Ti}$	-1,630
$\text{Al}^{3+} \text{Al}$	-1,662
$\text{Mg}^{2+} \text{Mg}$	-2,372
$\text{Na}^+ \text{Na}$	-2,711
$\text{Ca}^{2+} \text{Ca}$	-2,868
$\text{Ba}^{2+} \text{Ba}$	-2,912
$\text{K}^+ \text{K}$	-2,931
$\text{Cs}^+ \text{Cs}$	-3,026

Prazna Stranica

Kemija

Prazna Stranica

Prazna Stranica

Kemija

Prazna Stranica